This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problems Mailbox.

SERIAL NO.: 09/826,765

IN THE CLAIMS:

A complete listing of the claims and their status as of this Amendment is as follows:

- 1.(currently amended) A bottle carrier device, comprising:
- a hook member for attachment to a support carabiner comprising a closable ring-like member having a pivoted arm in said ring-like member for opening and closing said ring-like member to provide single-handed detachable attachment of said carabiner to a support;
- a an elastomeric self-adjusting bottleneck-engaging ring member for attachment having a low modulus of elasticity and having an internal diameter sized to be received about the neck of a bottle; and
- a joining member having a first end secured to about said elastomeric self-adjusting bottleneck-engaging ring member and a second end secured to said hook member about said ring-like structure of said carabiner to interconnect said hook member carabiner to said bottleneck-engaging ring member in close proximity to thereto in a manner to assure orientation of a bottle in a vertical vertically-upright position when secured by said elastomeric self-adjusting bottleneck-engaging ring member.
 - 2. (Cancelled)
 - (Cancelled)

SERIAL NO.: 09/826,765

- 4. (Cancelled)
- (Cancelled)
- 6. (Cancelled)
- 7. (Cancelled)
- 8.(currently amended) A bottle carrier device, comprising:
 an elastomeric bottleneck-engaging ring member having a low modulus of elasticity and being sized to be positionable about the neck of a bottle;
- a closable-loop hook member carabiner for attaching to a support; and
 a joining member having a first end secured to said elastomeric bottleneck-engaging
 ring member and a second end secured to said hook member carabiner for
 attaching said elastomeric bottleneck-engaging ring member to said hook
 member carabiner in close proximity thereto and in a manner to assure vertical
 vertically-upright orientation of a bottle secured by said elastomeric bottleneckengaging ring member..
 - 9. (Cancelled)
- 10 (currently amended) The bottle carrier device of claim 9 8 wherein said closable-loop hook member is a carabiner comprising comprises a ring ring-like

SERIAL NO : 09/826,765

structure having a pivoted arm for opening and closing said ring ring-like structure.

11.(currently amended) The bottle carrier device of claim 8 10 wherein said joining member is a loop of material which encircles a portion of said hook member carabiner and which also encircles a portion of said elastomeric bottleneck-engaging ring member.

- 12. (Cancelled)
- 13. (Cancelled)